

JO 1085141

MAR 1989

<b>89-140807/19</b> E11 J04 JGC CORP 29.09.87-JP-239983 (30.03.89) B01j-23/40 Prepn. of noble metal catalyst - by modifying <u>granular silica</u> with silane contg. <u>amino gp.</u> fixing noble metal ions on surface and reducing C89-062393	<b>JAGA 29.09.87</b> *JO 1085-141-A E(5-E2D, 31-P1, 31-P3, 35) J(4-E4) N(1-D, 2, 2-E, 2-F2, 5-E1, 6-E)
<p>Catalyst of silica carrying noble metal on its surface, is prepd. by (a) modifying <u>granular silica</u> by reacting it with silane cpd. having <u>amino-gp.</u>, then (b) fixing noble metal ions on the surface of silica by contacting the modified silica with aq. soln. of the noble metal salt in quantity of a fourth mole or less based on amino-gp. of the modified silica, then (c) <u>reducing</u> the noble metal-carrying silica.</p> <p>Pref. 3-aminopropyl trialkoxysilane or N-(2-amino-ethyl)-3-amino-propyl trialkoxysilane is used as silane cpd. having amino-gp. Pref. amt. of amino-gps. fixed on silica is 0.1 to 2.0 millimole per gram of the modified silica.</p> <p><b>ADVANTAGE</b> - The catalyst can be <u>prepd.</u> with good reproducibility of performance and carries noble metal in a high density on the surface of silica, and thickness of the carrying layer can be controlled. (4pp Dwg.No.0/1)</p>	

© 1989 DERWENT PUBLICATIONS LTD.  
128, Theobalds Road, London WC1X 8RP, England  
US Office: Derwent Inc., 1313 Dolley Madison Boulevard,  
Suite 303, McLean, VA22101, USA  
*Unauthorised copying of this abstract not permitted.*